

DTFN Estimates for Nano Domestic Quell Phase 4 Updated Compliance



June 2013

**Assistant Director of Advanced Projects
The Office of DARPA Command
For DEPSECDEF EYES ONLY**

68-123
150

07



Nano Domestic Quell Revised Estimates for NDQ Protocols

National Nano Domestic Quell (NDQ) Protocols for Phase 4

DTFN Estimated Rates & Phase 4 Updated Compliance for NDQ

Current total infection rate for United States general pop.: 87.2%

Projected infection for general U.S. populace by January, 2014 is estimated to reach 98%. Total infection for ages 18 and above may reach 99%. DTFN projects dispersal mediums will require additional resources for Phase 4 of NDQ. DTFN recommends an increase in the following medium inflows and outflows, specific to liquid dispersal

Pepsi Co: 9.9%
Nestle ADR: 8.5%
Chicago Municipal: 5.1%
Atlanta Municipal: 4.4%
Danone: 4.2%
Coca-Cola: 4.1%
Los Angeles Municipal: 2.9%
Seattle Municipal: 1.0%

Dispersal outflows have shown significant improvement in population infection rates.

Recommended inflow increases deployed in October, 2012 resulted in a net increase of infection rates by 0.82%, slightly exceeding projections.

DTFN assures DoD compliance for Phase 4 will be completed one week ahead of schedule.

No further recommendations have been submitted by DTFN for Phase 5. An expected update to outflow estimated rates will be forthcoming before Phase 5 initialization.

Approved for Release

Pg. 1



Nano Domestic Quell

Revised Estimates for NDQ Protocols

National Nano Domestic Quell (NDQ) Protocols for Phase 4

DTFN Estimated Rates & Phase 4 Updated Compliance for N.D.Q.

Current total infection rate for United States general pop.: 87.2%

Projected infection for general U.S. populace by January, 2014 is estimated to reach 98%. Total infection for ages 18 and above may reach 99%. DTFN projects dispersal mediums will require additional resources for Phase 4 of NDQ. DTFN recommends an increase in the following medium inflows and outflows, specific to liquid dispersal:

Pepsi Co: 9.9%
Nestle ADR: 8.5%
Chicago Municipal: 5.1%
Atlanta Municipal: 4.4%
Danone: 4.2%
Coca-Cola: 4.1%
Los Angeles Municipal: 2.9%
Seattle Municipal: 1.0%

Dispersal outflows have shown significant improvement in population infection rates.

Recommended inflow increases deployed in October, 2012 resulted in a net increase of infection rates by 0.82%, slightly exceeding projections.

DTFN assures DoD compliance for Phase 4 will be completed one week ahead of schedule.

No further recommendations have been submitted by DTFN for Phase 5. An expected update to outflow estimated rates will be forthcoming before Phase 5 initialization.





Nano Domestic Quell

Revised Estimates for NDQ Protocols

National Nano Domestic Quell (NDQ) Protocols for Phase 4

DTFN Estimated Rates & Phase 4 Updated Compliance for N.D.Q.

Current total infection rate for United States general pop.: 87.2%

Projected infection for general U.S. populace by January, 2014 is estimated to reach 98%. Total infection for ages 18 and above may reach 99%. DTFN projects dispersal mediums will require additional resources for Phase 4 of NDQ. DTFN recommends an increase in the following medium inflows and outflows, specific to liquid dispersal:

Projected infection for general U.S. populace by January, 2014 is estimated to reach 98%. Total infection for ages 18 and above may reach 99%. DTFN projects dispersal mediums will require additional resources for Phase 4 of NDQ DTFN recommends an increase in the following medium inflows and outflows, specific to liquid dispersal:

Pepsi Co: 9.9%

Nestle ADR: 8.5%

Chicago Municipal: 5.1%

Atlanta Municipal: 4.4%

Danone: 4.2%

Coca-Cola: 4.1%

Los Angeles Municipal: 2.9%

Seattle Municipal: 1.0%

U.S. Pan Flu MCM Strategic Goals

Vaccines

- Goal #1: Establish and maintain a dynamic pre-pandemic influenza vaccine stockpile available for 20 M persons (2 doses/person) or more depending on vaccine mfg. capacity, results of dose-sparing adjuvant studies and prime-boost immunization studies: H5N1 vaccine stockpiles - Achieved
- Goal #2: Provide pandemic vaccine to all U.S. citizens within 6 (or less) months of a pandemic declaration; pandemic vaccine (600 M doses)

Antivirals

- Goal #1: Provide influenza antiviral drug stockpiles for pandemic treatment of 25% of U.S. population (75 M treatment courses) and federal share of antivirals for outbreak prophylactic usage as a community mitigation measure as shared responsibility - Achieved
- Goal #2: Provide influenza antiviral drug stockpiles for strategic limited containment at onset of pandemic (6 M treatment courses) - Achieved

Once activated, the device will mimic the flu virus. You will be dead within 10 to 12 days. There is no known cure or way to prevent this. (I go into more detail on this in some of my videos, of which I recommend viewing all of them to fully understand and appreciate what is going on.)

Recommended update increases deployed in October 2022 resulted in a net increase of infection rates by 6.82%, negating intended projections

OTPN Assess DoD compliance for Phase 4 will be completed one week ahead of schedule

No further recommendations have been submitted by OTPN for Phase 1. An expected update in required compliance rates will be forthcoming before Phase 2 installation.

Approved for release

Page 1

1

The military can target very specific locations, particularly with drones (why do you think they want drones over U.S. skies so desperately?). They can target a room, a small house, an apartment complex, a city block, a town, or a whole metropolitan area.

By simply firing this signal, the nano devices in your body will be activated and you will die from what will appear to be a very severe case of the flu.

You are safe until a cell tower, drone or other method of transmission activates the device. (I do not personally know *how* this transmission works. The documents I've received do not go into any detail on that specifically. I do know drones and cell towers will be used, however.)

Current total infections are for United States general pop. 87.2%

Projected infections for general U.S. population by January 2014 is estimated to reach 95%. Total infections for ages 18 and above may reach 99%. DTFCI project dispersal strategies will require additional resources for Phase 4 of SDQ. DTFCI recommends an increase in the following medical services and outcomes, specific to liquid dispersal:

Popul. Co. 8.5%
Seattle ADL 8.5%
Chicago Municipal 5.1%
Atlanta Municipal 4.4%
Dallas 4.2%
Coca-Cola 4.1%
Los Angeles Municipal 2.9%
Seattle Municipal 1.8%

Dispersal solutions have shown significant improvement in population infection rates.

Adjuvants cause a cytokine storm or immune system cascade event.

Recipient is then in immunoverdrive!!!

The immune system goes out of control like it's on steroids!

In preparation for a possible large scale national H7N9 influenza vaccination program, CDC is considering using the two oil-in-water emulsion adjuvants in its stockpile (AS03 and MF59) with an H7N9 vaccine. CDC's current study with the Brighton Collaboration is focused on assessing the risk of narcolepsy following AS03-adjuvanted H1N1 vaccines. CDC plans to expand the current Brighton Collaboration study to (1) include countries that used the MF59-adjuvanted H1N1 vaccines with large linked databases or other appropriate data sources that have data on adolescent and young adult populations to facilitate identification of narcolepsy cases and controls for participation in the study expansion and (2) assess whether there is a risk of

Narcolepsy???

Now that
certainly would
'Quell' a restless
and angry
American
people!!!

This vaccine
may become
mandatory.

I just
remembered,
I'm allergic to
vaccine
adjuvants.
Aren't YOU???

ing the H1N1 influenza pandemic. This project also evaluates risk of
narcolepsy associated with Arepanrix.

In preparation for a possible large scale national H7N9 influenza vaccination program, CDC is considering using the two oil-in-water emulsion adjuvants in its stockpile (AS03 and MF59) with an H7N9 vaccine. CDC's current study with the Brighton Collaboration is focused on assessing the risk of narcolepsy following AS03-adjuvanted H1N1 vaccines. CDC plans to expand the current Brighton Collaboration study to (1) include countries that used the MF59-adjuvanted H1N1 vaccines with large linked databases or other appropriate data sources that have data on adolescent and young adult populations to facilitate identification of narcolepsy cases and controls for participation in the study expansion and (2) assess whether there is a risk of narcolepsy following MF59-adjuvanted H1N1 vaccines.

Narcolepsy

Pathology .

Condition
characterized
by frequent
and
uncontrollable
periods of
deep sleep.

B	X	X	X	X		X	X	X	X	X	X	X	X
C	X	X	X	X			X	X	X	X	X	X	X
D	X	X			X	X	X	X	X	X	X	X	X
E	X	X				X	X	X	X	X	X	X	X
F	X	X					X	X	X	X	X	X	X
G			X	X	X		X	X	X	X	X	X	X
H			X	X			X	X	X	X	X	X	X


NOTE: Failure to propose an offer on other than the above Scenarios (like for only 1 or 2 CLINs) may determine your proposal not to be considered in the competitive range.

Question 13: Under section C.2.1 Products, please confirm the number of units being requested are correct. For instance, in CLIN 0001 you are asking for up to 512 million?

Answer: Yes, 512 million is correct. **A pandemic vaccine campaign may require two doses** which means that we need to be prepared to **handle that requirement (600M)**. The balance of 88 million is made up of separate needles and syringes that are swing stock for pre-filled syringes.

Question 14: Please clarify in CLIN 0006, what HHS means by "Integrated Needle".

Answer: The package contains the needle and syringe combination and it is already put together.





Xda

Mobile phones
use
microwaves

2. Relay GPS coordinates to Supercomputer.

How U.S.A.F. Tracks Everyone




General Raymond,
Commander



Schriever Air Force Base

3. Super-computer relays to Cell Tower



4. Subliminal messages 24/7, directed
Digital beam forming = 2300 - 2900 MHz
at head, and ringing in ears. (450 MHz)
Also Patent # 5,289,438 (Ref: Paul Batcho, PhD)
Counter Effect:
"I will only react to constructive suggestions."

TargetedJustice.com



Lockheed GPS satellite



1.

Satellite tracking.

Scalar microwave
beam @
3600 - 3750 MHz

Satellite
Tracking
Aims
Here



Refs:
Space-track.org
Navcen.uscg.gov
Gps.afspc.af.mil

In-The-Sky.org/satmap_radar.php
Opinions of RLighthouse.com
Oct 2019, Rev 3.3
Creative Commons 4.0 License